
CITY OF PORTAGE DISTRICT

Summary of City of Portage

15,905 RESIDENTS







SH-SS \$60,802 MB \$59,093

SH-SS: 15% and 21.1% MB: 15% and 21.9%



HOUSING AFFORDABILITY

36% of tenants & 7% owners spend 30% + on shelter costs, similar to region & province



EDUCATION

aged 15+ with no certificate, degree, diploma but more (41.7%) have postsecondary education




SOCIOECONOMIC FACTOR INDEX

reflects socioeconomic conditions and social determinants of health (income, marital status, education, unemployment)

WORSE VS. MB & WORSENING

UNEMPLOYMENT



unemployed as a % of the labour force

City of Portage

MB SH-SS

Highest % of lone parent famillies in the region, primarily women-led

MORTALITY



MALE LIFE EXPECTANCY lower vs. MB




PREMATURE DEATHS higher vs. MB

CARDIOVASCULAR DISEASES




HEART ATTACK RATE higher vs. MB



HYPERTENSION lower vs. MB




ISCHEMIC HEART DISEASE higher vs. MB



RESPIRATORY MORBIDITY

lower vs. MB and decreasing



DIABETES


prevalence increasing over time (incidence also increasing)



OSTEOPOROSIS

lower vs. MB decreasing over time

MENTAL HEALTH



MOOD & ANXIETY DISORDERS lower vs. MB



SUBSTANCE USE DISORDERS higher vs. MB & highest in the region

City of Portage 12.6%

SH-SS MB 10.3%

DEMENTIA higher vs. MB

HEALTHY CHILD DEVELOPMENT



PEDIATRIC DENTAL EXTRACTIONS decreasing



LARGE FOR GESTATIONAL AGE higher vs. MB



TEEN PREGNANCIES (& births) higher vs. MB




MOTHERS 3+ RISK FACTORS

highest in region



READINESS FOR SCHOOL

children identified 'vulnerable' in kindergarten highest in region



MAJORITY OF CARE

lower vs. MB BUT increasing



DEFINITIONS

Median household income: Median combined total income after tax of all household members aged 15+ years

Low income: 50% of the median income in Canada adjusted for family size and composition, as a % of households and % of children (17 years and younger)

Housing affordability: Housing is un-affordable when spending 30+ % of total household income on shelter expenses (e.g., electricity, water, municipal services, rent, mortgage, etc.)

Education: % ages 15+ years with no certificate, diploma, or degree

Socioeconomic Factor Index: Reflects socioeconomic status and social determinants of health as a composite score of average household income, % of single parent households, unemployment rate ages 15+ years, and % ages 15+ years with no high school graduation

Unemployment: % ages 15+ years unemployed as a % of the labour force population

Lone parent families: Families on the census with only one parent of any marital status (e.g., divorced, separated, widowed, or never married) living with at least one child in the household

Life expectancy: Expected length of life in years based on patterns of mortality

Premature mortality: Number of deaths before the age of 75 years per 1,000 population

Heart attack: Rate of death or hospitalization due to heart attack per 1,000 residents ages 40+ years

Hypertension: % ages 19+ years diagnosed with high blood pressure

Ischemic heart disease (IHD): % ages 19+ years diagnosed with IHD (coronary artery disease)

Total respiratory morbidity: % diagnosed with respiratory disease (asthma, chronic or acute bronchitis, emphysema, or chronic airway obstruction)

Diabetes prevalence: Total % of residents with diagnosed (Type 1 and 2) diabetes (incidence: new diagnoses per 100 person-years)

Osteoporosis: % 50+ years diagnosed with osteoporosis, which reduces bone density

Mood and anxiety disorders: % adults diagnosed with mood or anxiety disorders

Substance use disorders: % adults diagnosed with substance use disorders (alcohol and/or drug)

Dementia: % 55+ years diagnosed with dementia

Pediatric dental extractions: Rate of hospital-based dental surgeries involving extractions for children under 6 years, per 1,000

Large for gestational age: % of live hospital births weight falls above Canadian 90th percentile

Teen pregnancies: Rate of pregnancies (live births, stillbirths, abortions, and ectopic pregnancies) per 1,000 female residents ages 15-19

Mothers risk factors: % of screened mothers on Families First assessment with 3+ risk factors leading to poor childhood outcomes: alcohol use, smoking, less than high school education, financial difficulties, and maternal depression and/or anxiety

Readiness for school: % of kindergarten children identified as 'vulnerable' for age-appropriate developmental expectations on the Early Development Instrument for five areas of development

Majority of care: % who received at least 50% of their ambulatory visits from the same physician or nurse practitioner - continuity is associated with improved satisfaction and better health outcomes