



# WINKLER DISTRICT

Summary of city of Winkler

## 17,346 RESIDENTS



**15.1%**  
growth 2013-2018



**HOUSING AFFORDABILITY**  
35% of tenants and 12% of owners spending 30% + on shelter costs



## EDUCATION

age 15+ with no high school diploma: the education level with the highest % in Winkler is those with no diploma




## SOCIOECONOMIC FACTOR INDEX


reflects socioeconomic conditions and social determinants of health (income, marital status, education, unemployment)

**WORSE VS. MB & WORSENING**


## UNEMPLOYMENT



unemployed as a % of the labour force




## LIFE EXPECTANCY




## MAJORITY OF CARE

lower vs. MB



## DIABETES


prevalence lower vs. MB  
(incidence also lower vs. MB)



## HYPERTENSION

lower vs. MB

# MUSCULOSKELETAL DISEASES



## ARTHRITIS




lower vs. MB





## OSTEOPOROSIS

decreasing over time




# MENTAL HEALTH




# RESPIRATORY DISEASES



# HEALTHY CHILD DEVELOPMENT





## DEFINITIONS

**Median household income:** Median combined total income after tax of all household members aged 15+ years

**Low income:** 50% of the median income in Canada adjusted for family size and composition, as a % of households and % of children (17 years and younger)

**Housing affordability:** Housing is un-affordable when spending 30+ % of total household income on shelter expenses (e.g., electricity, water, municipal services, rent, mortgage, etc.)

**Education:** % ages 15+ years with no certificate, diploma, or degree

**Socioeconomic Factor Index:** Reflects socioeconomic status and social determinants of health as a composite score of average household income, % of single parent households, unemployment rate ages 15+ years, and % ages 15+ years with no high school graduation

**Unemployment:** % ages 15+ years unemployed as a % of the labour force population

**Life expectancy:** Expected length of life in years based on patterns of mortality

**Majority of care:** % who received at least 50% of their ambulatory visits from the same physician or nurse practitioner - continuity is associated with improved satisfaction and better health outcomes

**Diabetes prevalence:** Total % of residents with diagnosed (Type 1 and 2) diabetes (incidence: new diagnoses per 100 person-years)

**Hypertension:** % ages 19+ years diagnosed with high blood pressure

**Arthritis:** % ages 19+ years diagnosed with arthritis (rheumatoid or osteoarthritis)

**Osteoporosis:** % 50+ years diagnosed with osteoporosis, which reduces bone density

**Mood and anxiety disorders:** % adults diagnosed with mood or anxiety disorders

**Substance use disorders:** % adults diagnosed with substance use disorders (alcohol and/or drug)

**Dementia:** % 55+ years diagnosed with dementia

**Total respiratory morbidity:** % diagnosed with respiratory disease (asthma, chronic or acute bronchitis, emphysema, or chronic airway obstruction)

**Child asthma:** % ages 5-19 diagnosed with asthma

**Preterm births:** % live births with gestational age less than 37 weeks

**Inadequate prenatal care:** % women with single, live, in-hospital births receiving no or inadequate prenatal care (e.g., regular prenatal visits)

**Pediatric dental extractions:** Rate of hospital-based dental surgeries involving extractions for children under 6 years, per 1,000